

# BAILOUT 1.STAGE

Certificate no: DSC-2026-000426

Service date: 23.02.2026

Valid until: 23.02.2027

Result: **Approved**

## Equipment details

Customer: Sjøentreprenøren AS  
Producer: Poseidon  
Serial no: P500082  
Service interval: 12 months

Location: Yankee  
Model: Cyklon  
Build year: -

## NOTE

Tested With LABTEC PRO

This is a certificate confirmation, the documentation has a separate file.

## Technician

Serviced by: Daniel Kristensen

Signature



<b>workshop:</b> DS BERGEN AS		person:	Daniel Kristensen
street: Storebotn 55G		phone:	91649162
place: 5309 Kleppestø		fax:	
		email:	Daniel@dsbergen.no
<b>customer:</b> Sjøentreprenøren AS		person:	Ingmar Aune
street:		phone:	
place: Bergen		fax:	
		email:	ingmar.aune@ncc.no
<b>device data:</b>	<b>deadlines:</b>	<b>device-info:</b>	<b>service:</b>
device no: P500082	1 y test 22.02.2027 1 y srv 22.02.2027		- 1 year service - cleaning and disinfection
type: Poseidon Cyklon			
class: diving system basic			
location: Yankee			

tests/measurements	unit	min	max	actual	result
visual test (0 = ok) input mask: (0 = classic, > 0 = extended/list...)			0	0	OK
High-pressure leak test, test time: 0,5 min, test pressure: bar	bar	-5		0	OK
safety valve opening pressure	bar	12	21	16,1	OK
static medium pressure at 150 bar cylinder pressure	bar	8	10,5	9,8	OK
MP leakage after 0,5 min at 190 bar lmt. 1 0=rel.1=abs. pulse	bar		10,5	9,9	OK
pressure comparison at 190 bar	bar	-10	10	5	OK
pressure comparison at 60 bar	bar	-10	10	-8	OK
pressure release of test equipment (HP, MP and LP)				0	OK

test executed: 22.02.2026 14:34  
 by: Daniel Kristensen  
 test signed: 22.02.2026 14:34  
 by: Daniel Kristensen

**result:**  
**device ready for use**

LabNet V: 2025.12.2.0

next test on: 22.02.2027