

BAILOUT 1.STAGE

Certificate no: DSC-2026-000235

Service date: 13.01.2026

Valid until: 13.01.2027

Result: **Approved**

Equipment details

Customer: Forsvaret

Producer: Poseidon

Serial no: P1200206

Service interval: 12 months

Location: Håkonsvern

Model: Cyklon

Build year: -

NOTE

-

This is a certificate confirmation, the documentation has a separate file.

Technician

Serviced by: Thomas Eriksson

Signature

Thomas Eriksson



workshop: DS BERGEN AS		person:	Daniel Kristensen
street: Storebotn 55G		phone:	91649162
place: 5309 Kleppestø		fax:	
		email:	Daniel@dsbergen.no
customer: Dykke og froskemannskolen		person:	
street: Haakonsvern orlogsstasjon		phone:	+47 55502000
place: 5886 Bergen		fax:	
		email:	
device data:	deadlines:	device-info:	service:
device no: P1200206	1 y test 19.01.2027 1 y srv 19.01.2027		- 1 year service - cleaning and disinfection
type: Poseidon Cyklon			
class: diving system basic			
location:			

1. trinn bailout m/ manometer

tests/measurements	unit	min	max	actual	result
visual test (0 = ok) input mask: (0 = classic, > 0 = extended/list...)			0	0	OK
High-pressure leak test, test time: 0,5 min, test pressure: bar	bar	-5		-1	OK
safety valve opening pressure	bar	12	21	16,8	OK
static medium pressure at 150 bar cylinder pressure	bar	8	10,5	9	OK
MP leakage after 0,5 min at 190 bar lmt. 1 0=rel.1=abs. pulse	bar		10,5	9,6	OK
pressure comparison at 190 bar	bar	-10	10	-2	OK
pressure comparison at 60 bar	bar	-10	10	2	OK
pressure release of test equipment (HP, MP and LP)				0	OK

test executed: 19.01.2026 22:03
 by: Daniel Kristensen
 test signed: 19.01.2026 22:04
 by: Daniel Kristensen

result:
device ready for use

LabNet V: 2025.12.2.0

next test on: 19.01.2027