

test report

test report: 484
 device no.: 2344500902
 type of Yearly test
 test system: PRO

3102.24.325

workshop: DS BERGEN AS		person:	Thomas Eriksson
street: Storebotn 55G		phone:	91649162
place: 5309 Kleppestø		fax:	
		email:	Daniel@dsbergen.no
customer: Dypvest AS		person:	
street: Røtingavegen 70		phone:	+47 92628874
place: 5216 Lepsøy		fax:	
		email:	
device data:	deadlines:	device-info:	service:
device no: 2344500902	1 y test 08.07.2027 1 y srv 08.07.2027		- 1 year service - cleaning and disinfection
type: Scubapro MK17			
class: diving system basic			
location: Diverse			

1.trinn BO m/ OPV og manometer

tests/measurements	unit	min	max	actual	result
visual test (0 = ok) input mask: (0 = classic, > 0 = extended/list...)			0	0	OK
High-pressure leak test, test time: 0,5 min, test pressure: bar	bar	-5		0	OK
safety valve opening pressure	bar	12	21	13	OK
static medium pressure at 200 bar cylinder pressure	bar	8	10,5	9,4	OK
MP leakage after 0,5 min at 200 bar lmt. 1 0=rel.1=abs. pulse	bar		10,5	9,4	OK
pressure comparison at 200 bar	bar	-10	10	1	OK
pressure comparison at 60 bar	bar	-10	10	1	OK
pressure release of test equipment (HP, MP and LP)				0	OK

test executed: 08.07.2026 20:21
 by: Thomas Eriksson

result:

test signed: 08.07.2026 20:21
 by: Thomas Eriksson

device ready for use

LabNet V: 2025.12.2.0

next test on: 08.07.2027