

INTERSPIRO DIVATOR SET

Certificate no: DSC-2026-000198

Service date: 10.12.2025

Valid until: 10.12.2026

Result: **Approved**

Equipment details

Customer: Sjøentreprenøren AS

Producer: Interspiro

Serial no: P1000204 ,9932045, 043FF6A16A2681

Service interval: 12 months

Location: Kammerkontainer

Model: Divator MKII

Build year: -

NOTE

Interspiro Divator MKII set- Mask,Regulator and 1.stage. Backup

This is a certificate confirmation, the documentation has a separate file.

Technician

Serviced by: Daniel Kristensen

Signature

Electronically signed by DS Bergen AS



| | | | |
|--------------------------------------|---|---------------------|---|
| workshop: DS BERGEN AS | | person: | Daniel Kristensen |
| street: Storebotn 55G | | phone: | 91649162 |
| place: 5309 Kleppestø | | fax: | |
| | | email: | Daniel@dsbergen.no |
| customer: Sjøentreprenøren AS | | person: | Ingmar Aune |
| street: | | phone: | |
| place: Bergen | | fax: | |
| | | email: | ingmar.aune@ncc.no |
| device data: | deadlines: | device-info: | service: |
| device no: 043FF6A16A2681 | 1 y test 10.12.2026 1 y srv 10.12.2026 | | - 1 year service - cleaning and disinfection |
| type: Interspiro Divator NP | | | |
| class: mask NP | | | |
| location: Kammerkontainer | | | |

Reserve sett Divator Komplet.

| tests/measurements | unit | min | max | actual | result |
|--|------|-----|-----|--------|--------|
| visual test (0 = ok) input mask: (0 = classic, > 0 = extended/list...) | | | 0 | 0 | OK |
| mask fitted approx. 6 sec head expansion Mask volume 0,2 l | | | | 0 | OK |
| leakage test w/ open exhalation valve 0,25 min at p=-10 mbar | mbar | | 7,5 | 3,5 | OK |

test executed: 10.12.2025 21:28
 by: Daniel Kristensen

result:

test signed: 10.12.2025 21:28
 by: Daniel Kristensen

device ready for use

Lab.Net Profi V: 2024.0.0.0

next test on: 10.12.2026

| | | | |
|--------------------------------------|---|---------------------|---|
| workshop: DS BERGEN AS | | person: | Daniel Kristensen |
| street: Storebotn 55G | | phone: | 91649162 |
| place: 5309 Kleppestø | | fax: | |
| | | email: | Daniel@dsbergen.no |
| customer: Sjøentreprenøren AS | | person: | Ingmar Aune |
| street: | | phone: | |
| place: Bergen | | fax: | |
| | | email: | ingmar.aune@ncc.no |
| device data: | deadlines: | device-info: | service: |
| device no: 9932045 | 1 y test 10.12.2026 1 y srv 10.12.2026 | | 1 year service cleaning and disinfection |
| type: Interspiro BV Divator NP | | | |
| class: demand valve NP | | | |
| location: Kammerkontainer | | | |

Reserve sett Divator Komplet.

| tests/measurements | unit | min | max | actual | result |
|--|------|-----|------|--------|--------|
| visual test (0 = ok) input mask: (0 = classic, > 0 = extended/list...) | | | 0 | 0 | OK |
| demand valve opening pressure at 10 l/min suction | mbar | -4 | -0,5 | -1,8 | OK |
| inhalation resistance at 40 x 2,5 l/min, 5 hubs HP .>. bar | mbar | -8 | -0,1 | -3,1 | OK |
| exhalation valve opening pressure at 10 l/min suction | mbar | 2 | 5 | 2,2 | OK |
| safety valve opening pressure | bar | 12 | 20 | 13,4 | OK |
| pressure release of test equipment (HP, MP and LP) | | | | 0 | OK |

test executed: 10.12.2025 21:28
 by: Daniel Kristensen
 test signed: 10.12.2025 21:28
 by: Daniel Kristensen

result:
device ready for use

Lab.Net Profi V: 2024.0.0.0

next test on: 10.12.2026

| | | | |
|--------------------------------------|---|---------------------|---|
| workshop: DS BERGEN AS | | person: | Daniel Kristensen |
| street: Storebotn 55G | | phone: | 91649162 |
| place: 5309 Kleppestø | | fax: | |
| | | email: | Daniel@dsbergen.no |
| customer: Sjøentreprenøren AS | | person: | Ingmar Aune |
| street: | | phone: | |
| place: Bergen | | fax: | |
| | | email: | ingmar.aune@ncc.no |
| device data: | deadlines: | device-info: | service: |
| device no: P1000204 | 1 y test 10.12.2026 1 y srv 10.12.2026 | | 1 year service cleaning and disinfection |
| type: Poseidon Cyklon | | | |
| class: diving system basic | | | |
| location: Kammerkontainer | | | |

Reserve sett Divator Komplet.

| tests/measurements | unit | min | max | actual | result |
|--|------|-----|------|--------|--------|
| visual test (0 = ok) input mask: (0 = classic, > 0 = extended/list...) | | | 0 | 0 | OK |
| HP leakage at max pressure after 0,5 min | bar | -5 | | -1 | OK |
| demand valve opening pressure | bar | 12 | 21 | 13,4 | OK |
| static medium pressure at 150 bar cylinder pressure | bar | 8 | 10,5 | 8,4 | OK |
| MP leakage after 0,5 min at 190 bar lmt. 1 0=rel.1=abs. pulse | bar | | 10,5 | 8,7 | OK |
| pressure comparison at 190 bar | bar | -10 | 10 | 10 | OK |
| pressure comparison at 60 bar | bar | -10 | 10 | 7 | OK |
| pressure release of test equipment (HP, MP and LP) | | | | 0 | OK |

test executed: 10.12.2025 21:28
 by: Daniel Kristensen

result:

test signed: 10.12.2025 21:28
 by: Daniel Kristensen

device ready for use

Lab.Net Profi V: 2024.0.0.0

next test on: 10.12.2026